

Features	Test Method	Value
Water Absorption	C373	≤ 3%
Warpage	C485	± 0.4%
Wedging	C502	± 0.25%
Breaking Strength	C648	Complies with 125 lbf or greater
Mohs Hardness	C1895	5
Chemical Resistance	C650	Class A
Stain Resistance	C1378	Class A
Low Emissions Material · Zero VOC		

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Product Info:**

- Ceramic Wall Tile
- Matte Finish
- 7.2mm Thickness
- Pressed Edge
- V1 - Uniform Appearance
- Frost Resistance = No


[www.genrose.com](http://www.genrose.com)