

**BOARDWALK**

 **GENROSE**





8"x48" Field Tile in Denim



8"x48" Field Tile in Forest

## AVAILABLE IN:

### 9mm Field Tiles

*Pressed Edge*

8"x48" *Natural Finish*

### Trim Pieces

3.5"x48" *Bullnose Natural Finish*

- All sizes are NOMINAL



**Denim**



**Taupe**



**Forest**

8"x48" Field Tile in Taupe

Colors shown may vary from actual product. Final selection should be made from actual product samples.



Features	Test Method	Value
<b>Fire Reaction</b>	-	Class A1 - A1 <sup>fl</sup>
<b>Bending Strength</b>	ISO 10545-4	> 35 N/mm <sup>2</sup>
<b>Breaking Strength</b>	ISO 10545-4	> 1300 N
<b>Frost Resistance</b>	ISO 10545-12	Resistant
<b>Slip Resistance</b>	DIN 51130	R9

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Product Info:**

- Glazed Porcelain Tile
- Natural Finish
- 9mm Thickness
- Pressed Edge
- PEI Rating = 4
- V3 - Moderate Variation
- Frost Resistance = Yes





[www.genrose.com](http://www.genrose.com)