CAMELOT

GENROSE

24”x48” Field Tile in Sabbia

12”x24” | 24”x24” Field Tile in Grigio

24″x24″ Field Tile in Sabbia

12″x24″ Field Tile in Sabbia

32″x32″ Field Tile in Argento

12″x24″ Field Tile in Sabbia

AVAILABLE IN:

Field Tile

24″x48″ 9.5mm *Matte | Polished Finish*
32″x32″ 10.5mm *Matte | Polished | Bush-Hammered Finish*
24″x24″ 9.5mm *Matte | Polished Finish*
12″x24″ 9.5mm *Matte | Polished Finish*

Mosaic

2″x2″ 9.5mm Mosaic *Matte Finish*

Trim Pieces

12″x47 1/8″ 9.5mm Step *Matte Finish*
12″x24″ 9.5mm Step *Matte Finish*
2 1/2″x47 1/8″ 9.5mm Bullnose *Matte | Polished Finish*
3 1/8″x31 1/2″ 10.5mm Bullnose *Matte | Polished Finish*
3 1/8″x24″ 9.5mm Bullnose *Matte | Polished Finish*



- All sizes are NOMINAL

MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer.
We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24″ field tile can be cut down to a smaller size in any length and width combination with a 1″ minimum.		2″ 4″		1 3/8″x3″ 2″x4″
		BRICKS		DIAMONDS	
			1″x2″ 1″x3″ 1 3/8″x3″ 2″x4″		2″
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon Diamond Hexagon Chevron	6.7″ Base 4″ 6″ 2″x12″ 6″x24″		2″x12″		1″x2″ 2″x4″ 5/8″x4″
		OCTAGONS		HEXAGONS	
			2″ w/ 0.6″ Squares		1 1/8″ 2″
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4″x2 1/2″ w/ 5/8″ Dot		1″x1″ 2″x2″ 1 3/8″x1 3/8″ 3″x3″		1″x2″ 1″x4″

*Other sizes available upon request

Luce

Bianco

Sabbia

Argento

Grigio

Colors shown may vary from actual product. Final selection should be made from actual product samples.

2”X2” MOSAIC

Luce

Bianco

Sabbia

Argento

Grigio

12”x24” Field Tile in Argento

GENROSE

CAMELOT
Color Body Porcelain Tile

Features	Test Method	Value
Length and Width	ISO 10545-2	±0.6% (±2.00 mm)
Thickness	ISO 10545-2	±5% (±0.5 mm)
Warpages of Edges	ISO 10545-2	±0.5% (±1.5 mm)
Wedging	ISO 10545-2	±0.5% (±2.00 mm)
Flatness	ISO 10545-2	±0.5% (±2.00 mm)
Water Absorption	ISO 10545-3	≤0.5%
Bending Strength	ISO 10545-4	≥ 35 N/MM^2
Linear Thermal Expansion Between 20° and 100° C	ISO 10545-8	≈$7x10^{-6}$ C^{-1}
Thermal Shock Resistance	ISO 10545-9	Resistant
Frost Resistance	ISO 10545-12	Resistant
Resistance of Chemical Attack	ISO 10545-13	Resistant
Color Resistance to Light	DIN 51094	No Alteration
Stain Resistance	ISO 10545-14	≥ Class 3
Slip Resistance	ANSI 137.1-2012 DCOF	> 0.42
This product contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 70.		

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8” wide grout joint for floor tiles in order to be

Product Info:

- Color Body Porcelain Tile
- Matte | Polished | Bush-Hammered Finishes
- 9.5mm | 10.5mm Thicknesses
- Rectified Edge
- Frost Resistance = Yes
- PEI Rating = 5
- V2 - Slight Shading Variation

www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.

www.genrose.com