

# CLINTON



For the most up-to-date product information, scan the QR code.

12" x 24" Field Tile in Black | White  
24" x 48" Field Tile in Argent





24" x 48" Field Tile in Sand  
24" x 24" Field Tile in Black



24" x 24" Field Tile in Black  
24" x 24" Field Tile in Sand





24" x 48" Field Tile in Argent | White



12" x 24" Field Tile in White  
24" x 24" Field Tile in Sand





12" x 24" Field Tile in Greige  
24" x 48" Field Tile in Toupe



12" x 24" Field Tile in Argent



















SPECIAL ORDER ITEMS:

8mm Field Tiles - <i>Rectified Edge</i>			
SIZE	FINISH	COLORS	
12" x 24"	Honed   Anti-Slip	White   Sand   Argent   Greige   Toupe   Black	
24" x 24"	Honed   Anti-Slip	White   Sand   Argent   Greige   Toupe   Black	
24" x 48"	Honed   Anti-Slip	White   Sand   Argent   Greige   Toupe   Black	
8mm Mosaics - <i>Rectified Edge</i>			
SHEET SIZE	MOSAIC TYPE	FINISH	COLORS
12" x 12"	2" x 2"	Honed	White   Sand   Argent   Greige   Toupe   Black
8mm Trim Pieces			
SIZE	TYPE	FINISH	COLORS
4" x 24"	Bullnose	Honed	White   Sand   Argent   Greige   Toupe   Black
6" x 12"	Cove Base	Honed	White   Sand   Argent   Greige   Toupe   Black

All Sizes are Nominal.

MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer.  
We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"
		BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
 Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4" 5 <sup>5</sup> / <sub>8</sub> "x4"
 Diamond	4"				
 Hexagon	6"	OCTAGONS		HEXAGONS	
 Chevron	2"x12" 6"x24"		2" w/ 0.6" Squares		1 <sup>1</sup> / <sub>8</sub> " 2"
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 <sup>1</sup> / <sub>2</sub> " w/ <sup>5</sup> / <sub>8</sub> " Dot		1"x1" 1 <sup>3</sup> / <sub>8</sub> "x1 <sup>3</sup> / <sub>8</sub> " 2"x2" 3"x3"		1"x2" 1"x4"

\*Other sizes available upon request

COLORS:



White



Sand



Argent



Greige



Toupe




Black


Colors shown may vary from actual product. Final selection should be made from actual product samples.  
Products and availability are subject to change, please refer to our website for the most up to date selection.



2"X2" MOSAIC:



TRIM PIECES





24” x 48” Field Tile in Greige | Black



GENROSE

CLINTON

Color Body Porcelain Tile

Features	Test Method	Value	
Dimensions	ASTM C499	Compliant	
Surface Quality		Min. 95% of tiles free of visible defects	
Warpage	ASTM C485	≤ ± 0.40%	
Wedging	ASTM C502	≤ ± 0.25%	
Water Absorption	ASTM C373	≤ 0.1%	
Breaking Strength	ASTM C648	≥ 400lbs	
Thermal Shock Resistance	ASTM C484	Resistant	
Crazing Resistance	ASTM C424	Resistant	
Chemical Resistance (Domestic)	ASTM C650	A	
Fire Resistance	-	A1/A1 <sub>FL</sub>	
Slip Resistance (Wet)	ANSI A326.3	Honed	Anti-Slip
		DCOF 0.77	0.88
LEED	-	Yes	
Recycled Content	-	≥ 40%	
VOC Emissions	-	Zero VOC	
Environmental Product Declaration	-	Yes	
Greenguard	-	Greenguard Gold	
Green Squared	-	Yes	
<div></div> <div>This product will contribute to USGBC registered LEED projects. It will also contricute to the ANSI approved NAHB Green Building Standard ICC 700.</div>			

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8” wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16” wide. Please refer to TCNA guidelines for more on grout recommendations.

**Disclaimer:** DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

- Product Info:**
- Color Body Porcelain Tile
  - Honed | Anti-Slip Finishes
  - 8mm Thickness
  - Rectified Edge
  - V2 - Slight Variation
  - Frost Resistance - Yes



www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.





[www.genrose.com](http://www.genrose.com)