DAKOTA







36"x 36" Field Tile in Grey



48"x 48" Field Deco | 36"x 71" Field Tile in White

AVAILABLE STOCKED ITEMS:

10mm Field Tiles							
SIZE	EDGE	FINISH	COLORS				
24"x 48"	Rectified	Natural	White Beige Dark Beige Grey Dark Grey				

AVAILABLE SPECIAL ORDER ITEMS:

10mm Field Tiles							
SIZE	EDGE	FINISH	COLORS				
12"x 24"	Rectified	Natural	White Beige Dark Beige Grey Dark Grey				
24"x 24"	Rectified	Natural	White Beige Dark Beige Grey Dark Grey				
36"x36"	Rectified	Natural	White Beige Dark Beige Grey Dark Grey				
36"x71"	Rectified	Natural	White Beige Dark Beige Grey Dark Grey				
10mm Field Decos							
SIZE	TYPE	FINISH	COLORS				
48"x 48"	Deco	Natural	White Beige Dark Beige Grey Dark Grey				
10mm Mosaics							
SHEET SIZE	TYPE	FINISH	COLORS				
12"x12"	2"x 2" Mosaic	Natural	White Beige Dark Beige Grey Dark Grey				

All Sizes are Nominal.

MADE TO ORDER FIELD TILES AND MOSAICS: Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD	TILES	CUBES		BASKETWEAVE	
	Any 24" field tile		2" 4"		1 ³ / ₈ "x3" 2"x4"
	a smaller size in any length and width	BRICKS		DIAMONDS	
	combination with a 1" minimum.		1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"
Diamond	4"			* > > >	⁵ / ₈ "×4"
		OCTAGONS		HEXAGONS	
_\rightarrow Hexagon	6"		2"	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	11/ //
Chevron	2"x12" 6"x24"		w/ 0.6" Squares		1¹/8″ 2″
TRAPEZO	ID W/ DOT	SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ ⁵ / ₈ " Dot		1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3"		1"x2" 1"x4"

^{*}Other sizes available upon request. All Sizes are Nominal.



White





Beige





Grey

Dark Grey

Dark Beige

2"X 2" MOSAIC











Willie

48"X 48" DECO











White B

Beige

Grey

Dark Beige

Dark Grey



24"x 48" Field Tile | 2" x 2" Mosaic | 48"x 48" Field Tile in Dark Grey



DAKOTAColor Body Porcelain Tile

Features	Test Method	Value	
Dimensions and Appearance	ISO 10545-2	Prospect G.1.	
Water Absorption	ISO 10545-3	≤ 0.1%	
Bending Strength	100 105 15 1	> 45 N/mm²	
Breaking Strength	ISO 10545-4	3000 N	
Deep Abrasion Resistance	ISO 10545-6	<140mm³	
Linear Expansion Thermic Coefficient	ISO 10545-8	≤ 7x10 ⁻⁶ °C ⁻¹	
Resistance to Sudden Temperature Changes	ISO 10545-9	Resistant	
Frost Resistance	ISO 10545-12	Resistant	
Chemical Resistance	ISO 10545-13	Household B	Low Concentration LA, LB to LC
Stain Resistance	ISO 10545-14	5	
DCOF	-	0.53	
Recycled Material	-	21%	

This product will contribute to USGBC registered LEED projects.

It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.

Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Tile
- Natural Finish
- 10mm Thickness
- Rectified Edge
- V2 Slight Shading Variation
- Frost Resistance = Yes



www.genrose.com



www.genrose.com