DOVER







AVAILABLE STOCKED ITEMS:

Wall Tiles						
SIZE	FINISH		COLORS			
2"×10"	Gloss		Sky Arctic White Storm			
6"x12"	Gloss		Sky Arctic White Storm			
Trim Pieces						
SIZE	ТҮРЕ	FINISH	COLORS			
.5″x12″	Finishing Strip	Gloss	Sky Arctic White Storm			

All Sizes are Nominal.



Arctic White



Storm

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.



Features	Test Method	Value	
Length / Width		± 0.25%	
Thickness	EN ISO 10545 - 2	± 2.5%	
Straightness of Side		± 0.15%	
Rectangularity		± 0.4%	
Surface Flatness		± 0.2%	
Water Absorption	EN ISO 10545 - 3	15% to 17%	
Weight / M ²	_	8mm Thick	10mm Thick
trongine, m		14.85 kg	17.78 kg
Modulus of Rupture	EN ISO 10545 - 4	≥ 25 N / mm ²	
Thermal Shock	EN ISO 10545 - 9	Pass	
Frost Resistance	EN ISO 10545 - 12	Not Suitable	
Chemical Resistance	EN ISO 10545 - 13	Class A - B	
Stain Resistance	EN ISO 10545 - 14	Class 3	
Fire Rating	-	Class A1 Non Combustible	
Recycled Content	-	Up to 20%	

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.





- Ceramic Tile (White Body) •
- 8mm | 10mm Thicknesses •
- Gloss Finish •
- V1 Uniform Variation
- Frost Resistance = No

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



DOVER Ceramic Tile (White Body)



www.genrose.com



www.genrose.com