

EDESSA



For the most up-to-date product information, scan the QR code.

48" x 48" Floor/ Wall Tile in White



24" x 48" Floor/Wall Tile in Silver



24" x 48" Floor/Wall Tile in Cream



24" x 48" Floor/Wall Tile in Cream



24" x 48" Floor/Wall Tile in White



48" x 48" Floor/Wall Tile in White

AVAILABLE STOCKED ITEMS:

9mm Floor/Wall Tiles - Rectified Edge			
SIZE	FINISH		COLORS
12" x 24"	Matte Brushed		White Cream Beige Silver
24" x 48"			White Cream Beige Silver
48" x 48"			White Beige
9mm Floor/Wall Mosaics - Rectified Edge			
SHEET SIZE	TYPE	FINISH	COLORS
12" x 12"	Hexagon	Matte Brushed	White Cream Beige Silver

All Sizes are Nominal.



24" x 48" Floor/Wall Tile in Cream

COLORS:



White



Silver



Beige



Cream

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.



24" x 48" Floor/Wall Tile in Beige

Features	Test Method	Value
Dimensions	ISO 10545 - 2	Compliant
Surface Quality		Min. 95% of tiles free of visible defects
Warpage		Compliant
Wedging		Compliant
Water Absorption	ISO 10545 - 3	≤ 0.3 %
Modulus of Rupture / Bending Strength	ISO 10545 - 4	≥ 35 N/mm ²
Breaking Strength		≥ 1,300 N
Coefficient of Linear Thermal Expansion	ISO 10545 - 8	$\alpha = 6,7 \times 10^{-6} / ^\circ\text{C}^\circ$
Thermal Shock Resistance	ISO 10545 - 9	Resistant
Crazing Resistance	ISO 10545 - 11	Resistant
Chemical Resistance (Domestic)	ISO 10545 - 13	A
Chemical Resistance (Low Concentration)		LA
Chemical Resistance (High Concentration)		HB
Fire Resistance	-	A1/A1 _{FL}
Slip Resistance (DCOF)	ANSI A326.3	0.56
LEED	-	Yes
Recycled Content	-	≥ 10%
VOC Emissions	-	Zero VOC
Environmental Product Declaration	-	Industry Wide
Health Product Declaration	-	Available



This product will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Tile
- Matte Finish
- 9mm Thickness
- PEI: Rating 4
- Rectified Edge
- V2 - Slight Variation
- Frost Resistant





www.genrose.com