

EXETER



For the most up-to-date product information, scan the QR code.

24" x 48" Field Tile in Fog Cross-Cut
48" x 110" Slab in Fossil Vein-Cut



24" x 48" Field Tile in Jute Vein-Cut



2" x 2" Mosaic in Mist Cross-Cut
24" x 48" Field Tile in Mist Cross-Cut



48" x 110" Chevron Deco Slab in Fog
48" x 110" Slab in Jute Vein-Cut
48" x 110" Flute Deco Slab in Mist

48" x 110" Slab in Fossil Vein-Cut
48" x 110" Slab in Pumice Vein-Cut

AVAILABLE STOCKED ITEMS:

8mm Floor/Wall Tiles - Rectified Edge				
SIZE	FINISH	TYPE	COLORS	
12" x 24"	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice	
		Vein-Cut		
8mm Floor/Wall Mosaics - Rectified Edge				
SHEET SIZE	MOSAIC TYPE	FINISH	TYPE	COLORS
12" x 12"	2" x 2"	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice

SPECIAL ORDER ITEMS:

8mm Floor/Wall Tiles - Rectified Edge				
SIZE	FINISH	TYPE	COLORS	
24" x 48"	Matte Anti-Slip	Cross-Cut	Fog Jute Mist Fossil Pumice	
		Vein-Cut		
48" x 48"	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice	
8mm Floor/Wall Mosaics - Rectified Edge				
SHEET SIZE	MOSAIC TYPE	FINISH	TYPE	COLORS
12" x 12"	1" x 3"	Matte	Vein-Cut	Fog Jute Mist Fossil Pumice
8mm Trim Pieces - Rectified Edge				
SIZE	TRIM TYPE	FINISH	TYPE	COLORS
3" x 12"	Bullnose	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice
			Vein-Cut	
6mm Slabs - Rectified Edge				
SIZE	SLAB TYPE	FINISH	TYPE	COLORS
48" x 110"	-	Matte	Cross-Cut	Fog Jute Mist Fossil Pumice
			Vein-Cut	
48" x 110"	Chevron Deco	Matte	Cross-Cut	Fog Mist
	Flute Deco			
12mm Slabs - Rectified Edge				
SIZE	FINISH	TYPE	COLORS	
32" x 96"	Matte	Cross-Cut	Fog Jute Fossil	

All Sizes are Nominal.

CROSS-CUT COLORS:



Fog




Jute



Mist



Fossil



Pumice

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

VEIN-CUT COLORS:



Fog




Jute



Mist



Fossil



Pumice

Colors shown may vary from actual product. Final selection should be made from actual product samples.
Products and availability are subject to change, please refer to our website for the most up to date selection.

CHEVRON DECO:



Fog



Mist

FLUTE DECO:



Fog



Mist

2” x 2” CROSS-CUT MOSAICS:



Fog




Jute



Mist




Fossil



Pumice

1” x 3” VEIN-CUT MOSAICS:




Fog




Jute



Mist



Fossil








Pumice

MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.
We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2"		1 ³ / ₈ "x3"
			3"		2"x4"
		BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
 Half Hexagon	6.7" Base		2"x12"		1"x2"
 Diamond	4"				2"x4"
 Hexagon	6"	OCTAGONS		HEXAGONS	
 Chevron	2"x12" 6"x24"		2" w/ 0.6" Squares		1 ¹ / ₈ " 2"
BOWLING PINS		SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ ⁵ / ₈ " Dot		1"x1" 1 ³ / ₈ "x1 ³ / ₈ " 2"x2" 3"x3"		1"x2" 1"x4"

*Other sizes available upon request



24" x 48" Field Tile in Fossil Cross-Cut and Vein-Cut
48" x 110" Slab in Mist Vein-Cut



GENROSE

EXETER

Color Body Porcelain Tile

Features	Test Method	Value	
Dimensions	ASTM C499	Compliant	
Surface Quality		Min. 95% of tiles free of visible defects	
Warpage	ASTM C485	± 0.25%	
Wedging	ASTM C502	± 0.15%	
Water Absorption	ASTM C373	≤ 0.5%	
Breaking Strength	ASTM C648	≥ 250 lbf (1.11 kN)	
Thermal Shock Resistance	ASTM C484	Resistant	
Crazing Resistance	ASTM C424	Resistant	
Chemical Resistance (Domestic)	ASTM C650	A	
Chemical Resistance (Low Concentration)		LA	
Chemical Resistance (High Concentration)		HA	
Fire Resistance	-	A1/A1 _{FL}	
Slip Resistance (Wet)	ANSI A326.3	Matte	Anti-Slip
		DCOF 0.50	DCOF 0.79
LEED	-	Yes	
Recycled Content	-	≥ 28%	
VOC Emissions	-	Zero VOC	
Declare	-	Red List Free	
Environmental Product Declaration	-	Facility Specific	
Health Product Declaration	-	Available	
Greenguard	-	Greenguard Gold	
Green Squared	-	Yes	
 This product will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.			

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Tile
 - Matte | Anti-Slip Finishes
 - 6mm | 8mm | 12mm Thicknesses
- Rectified Edge
 - V3 - Moderate Variation
 - Frost Resistant



www.genrose.com



Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.

