FOUNDATION







48" x 48" Field Tile in Grey 48" x 109" Slab in Tarmac





48" x 48" Field Tile in Moon 48" x 109" Slab in Pearl

48" x 48" Field Tile in Pure 48" x 109" Slab in Pure



48" x 48" Field Tile in Ash 63" x 126" Slab in Ash







48" x 48" Field Tile in Pearl 48" x 109" Slab in Grey 24" x 48" String Mosaic in Grey






Lock Mosaic in Pearl



48" x 48" Paver in Cream 48" x 109" Slab in Cream



48" x 48" Field Tile in Pure 48" x 109" Slab in Pure | Pearl | Smoke



48" x 48" Field Tile in Grey 48" x 109" Slab in Tarmac

AVAILABLE STOCKED ITEMS:

9mm Floor/Wall Tiles - Rectified Edge						
SIZE	FINISH		COLORS			
12" x 24"	Matte		Pure Moon White Ivory Cream Ash Pearl Grey Smoke Tarmac			
48" × 48"	Matte		Moon			
9mm Mosaics - Rectified Edge						
SHEET SIZE	TYPE	FINISH	COLORS			
12" x 12"	2" x 2"	Matte	Pure Moon White Ivory Cream Ash Pearl Grey Smoke Tarmac			
15" × 20"	Lock Mosaic	Matte	Pure Moon White Ivory Cream Ash Pearl Grey Smoke Tarmac			
9mm Trim Pieces - Re	ctified Edge					
SIZE	TYPE	FINISH	COLORS			
3" × 24"	Bullnose	Matte	Moon Ash Grey Smoke Tarmac			

All Sizes are Nominal

MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width		2" 4"		1 ³ / ₈ "x3" 2"x4"
		BRICKS		DIAMONDS	
	combination with a 1" minimum.		1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4" ⁵ / ₈ "x4"
Diamond	4"			. 🗸 🗸	
	/ //	OCTAGONS		HEXAGONS	
Chevron	6" 2"x12" 6"x24"		2" w/ 0.6" Squares		1 ¹ / ₈ " 2"
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ ⁵ / ₈ " Dot		1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3"		1"x2" 1"x4"

^{*}Other sizes available upon request

SPECIAL ORDER ITEMS:

Smm Floor/Wall Tiles - Rectified E SIZE		INISH	COLORS	
24" × 48"				
	I	Matte	White Ivory Ash Pearl	
Smm Slabs - Rectified Edge		TANIOU	001000	
SIZE	ŀ	INISH	COLORS	
48" x 109"	1	Matte	Pure Moon White Ivory Cream Ash Pearl Grey Smoke Tarmad	
63" x 126"	Matte		Ash	
mm Floor/Wall Tiles - Rectified E	dge			
SIZE	FINISH		COLORS	
24" × 24" 32" × 32"	1	Matte	Pure Moon White Ivory Crean Ash Pearl Grey Smoke Tarmad	
24" × 48"	Matte S	Semi-Polished	Pure Moon White Ivory Crean Ash Pearl Grey Smoke Tarmad	
	1	Matte	Pure White Ivory Cream Ash Pearl Grey Smoke Tarmad	
48" × 48"	Semi-Po	olished Grip	Pure Moon White Ivory Crean Ash Pearl Grey Smoke Tarmad	
Omm Mosaics - Rectified Edge				
SIZE	TYPE	FINISH	COLORS	
24" × 48"	Strings Mosaic	Matte Semi-Polished	Pure Moon White Ivory Crean Ash Pearl Grey Smoke Tarmad	
2mm Slabs - Pressed Edge (Need	ls to Be Relief Cut B	efore Installation)		
SIZE	FINISH		COLORS	
63" x 127"	Matte		Ash	
Omm Pavers - Rectified Edge				
SIZE	FINISH		COLORS	
24" × 24" 24" × 48" 48" × 48"	Grip		White Ash Pearl Grey	
mm Trim Pieces - Rectified Edge	(Made to Order)			
SIZE	TYPE	FINISH	COLORS	
3" x 24"	Bullnose	Matte	Pure White Ivory Cream Pear	
3" × 30" 3" × 48"	Bullnose	Matte	Pure Moon White Ivory Crean Ash Pearl Grey Smoke Tarma	
3" x 12"	Bullnose Corner (Right and Left)	Matte	Pure Moon White Ivory Crean Ash Pearl Grey Smoke Tarma	
12" × 24" 12" × 48"	Step	Matte	Pure Moon White Ivory Crean Ash Pearl Grey Smoke Tarma	
12" x 24" 12" x 48"	Stairtread	Matte	Pure Moon White Ivory Crean Ash Pearl Grey Smoke Tarma	
12 12 12 140			Pure Moon White Ivory Crear	
12" x 12"	Step Corner	Matte	Ash Pearl Grey Smoke Tarma	
<u>'</u>	Step Corner Corner	Matte Matte		
12" x 12"			Ash Pearl Grey Smoke Tarma Pure Moon White Ivory Crear	

COLORS:



Pure



lvory



Pearl



Tarmac



Moon



Cream



Grey



White




Ash



Smoke

STRINGS MOSAIC:



Pure




White



Cream



Pearl




Smoke


V2



Moon




lvory



Ash



Grey




Tarmac



V2

2" X 2" MOSAIC:



LOCK MOSAIC:



Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.





FOUNDATION

Color Body Porcelain Tile

Features	Test Method	Value			
Dimensions	ISO 10545 - 2	Compliant			
Surface Quality		Min. 95% of tiles free of visible defects			
Water Absorption	ISO 10545 - 3	≤ 0.1%			
	ISO 10545 - 4	6mm	9mm	20mm	
Modulus of Rupture / Bending Strength		R ≥ 40 N/mm ²	$R \ge 40 \text{ N/mm}^2$	R ≥ 45 N/mm ²	
Breaking Strength	ISO 10545 - 4	≥ 1,000 N	≥ 1,500N	≥ 10,000 N	
Deep Abrasion Resistance	ISO 10545 - 6	≤ 150mm³			
Coefficient of Linear Thermal Expansion	ISO 10545 - 8	≤ 7 MK ⁻¹			
Thermal Shock Resistance	ISO 10545 - 9	Resistant			
Crazing Resistance	ISO 10545 - 11	Resistant			
Chemical Resistance (Domestic)			А		
Chemical Resistance (Low Concentration)	ISO 10545 - 13	LA			
Chemical Resistance (High Concentration)		HA			
Fire Resistance	-	A1/A1 _{FL}			
	ANSI A326.3	Semi-Polished	Matte	Grip	
Slip Resistance (Wet)		DCOF 0.42	DCOF 0.62	DCOF 0.65	
LEED	LEED -		Yes		
	-	6mm	9mm	20mm	
Recycled Content		10%	10%	20%	
VOC Emissions	-	Zero VOC			
Environmental Product Declaration	-	Product-Specific			
Health Product Declaration	-	Available			
Declare	-	Red List Free			
Greenguard	-		Greenguard Gold		



This product will contribute to USGBC registered LEED projects. It will also contricute to the ANSI approved NAHB Green Building Standard ICC 700.

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Tile
- 6mm | 9mm | 20mm Rectified Edge
- dy Porcelain Tile 12mm Pressed Edge
- Matte | Semi-Polished | Grip Finishes V2 Slight Variation
- 6mm | 9mm | 12mm | 20mm Thicknesses
 Frost Resistance Yes

www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



www.genrose.com