## **GRADIENT**









4"x12" Wall Tile in Pink

## **AVAILABLE IN:**

## Wall Tile

4"x12" Glossy Finish

- All sizes are nominal
















White Black



Features	Test Methods	Value Required	Our Value
Length and Width		± 0,5%	± 0,5%
Thickness		± 10%	± 5%
Straightness of Edges	ISO 10545-2	± 0,3%	± 0,3%
Wedging		± 0,5%	± 0,4%
Warpage		± 0,5%	± 0,3%
Water Absorption	ISO 10545-3	E>10%	~16%
Bending Strength	ISO 10545-4	R≥15 N/mm²	22 N/mm²
Abrasion Resistance	ISO 10545-7	According to the manufacturer's data	Indicated in the catalog
Coefficient of Linear Thermal Expansion	ISO 10545-8	Test Method Available	8x10 <sup>-6</sup> °C <sup>-1</sup>
Thermal Shocks Resistant	ISO 10545-9	Test Method Available	Comply
Crazing Resistance	ISO 10545-11	Test Method Available	Comply
Chemical Resistance	ISO 10545-13	Minimum GB	Comply
Stain Resistance	ISO 10545-14	Minimum Class 3	Comply



## **Product Info:**

- Ceramic TileGlossy Finish
- Frost Resistance = No
- Contact your sales representative for more information





www.genrose.com