

HERITAGE



For more product information, scan the QR code.





12" x 12" Wicker Deco in Steel Grey



3" x 9.5" Wall Tile in Twine
12" x 12" Wicker Deco in Twine



3" x 9.5" Wall Tile in Pale Dove Grey
12" x 12" Wicker Deco in Eau De Nil



3" x 9.5" Wall Tile in Pearl



3" x 9.5" Wall Tile in Pale Dove Grey
12" x 12" Wicker Deco in Eau De Nil

AVAILABLE STOCKED ITEMS:

8mm Wall Tile			
SIZE	FINISH		COLORS
3" x 9.5"	Glossy		Pale Dove Grey Pearl Twine
8mm Field Deco			
SIZE	TYPE	FINISH	COLORS
12" x 12"	Wicker Deco	Matte	Eau De Nil Steel Grey Twine

All Sizes are Nominal.



3" x 9.5" Wall Tile in Twine



Eau De Nil



Steel Grey



Twine



Pearl



Pale Dove Grey



Twine

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.



3" x 9.5" Wall Tile in Pale Dove Grey
12" x 12" Wicker Deco in Eau De Nil

Features	Test Method	Value
Length and Width	ISO 10545-2	$\pm 0.5\% \leq \pm 2\text{mm}$
Thickness		$\pm 10\% \leq \pm 0.5\text{mm}$
Straightness of Sides		$\pm 0.3\% \leq \pm 1.5\text{mm}$
Rectangularity		$\pm 0.5\% \leq \pm 2\text{mm}$
Surface Flatness		$\pm 0.5\% \leq \pm 2\text{mm}$
Warpage		$\pm 0.5\% \leq \pm 2\text{mm}$
Water Absorption		ISO 10545-3
Modulus of Rupture / Bending Strength	ISO 10545-4	Ave 15N/mm ²
Breaking Strength		Not Less than 600N
Thermal Shock Resistance	ISO 10545-9	Resistant
Crazing Resistance	ISO 10545-11	Resistant
Frost Resistance	ISO 10545-12	Not Suitable
Chemical Resistance (Domestic)	ISO 10545-13	Min Class B
Stain Resistance	ISO 10545-14	Min Class 3
Recycled Content	-	Up to 20%
VOC Emissions	-	None
 		<p>This product will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700. Low Emissions Material • Zero VOC</p>

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Floor Tile for use in light traffic residential areas.

Product Info:

- Ceramic Tile
- Glossy (Wall) | Matte (Wicker) Finish
- 8mm Thickness
- Pressed Edge
- V1 - Uniform Appearance
- PEI = 2 (Wicker)
- Frost Resistance = No
- Check Decor 24 for Stock





www.genrose.com