



For the most up-to-date product information, scan the QR code.

2.5" x 8" Wall Tile in Chalk
2.5" x 8" Wall Tile in Sapphire



2.5" x 8" Wall Tile in Chalk



2.5" x 8" Wall Tile in Sand



2.5" x 8" Wall Tile in Sand



2.5" x 8" Wall Tile in Jade



2.5" x 8" Wall Tile in Coral



2.5" x 8" Wall Tile in Sapphire



2.5" x 8" Wall Tile in Chalk | Sapphire



2.5" x 8" Wall Tile in Arctic



2.5" x 8" Wall Tile in Chalk

STOCKED ITEMS:

8mm Wall Tiles - Pressed Edge			
SIZE	FINISH		COLORS
2.5" x 8"	Glossy		Arctic Chalk Sand Coral Jade Sapphire Carbon

8mm Trim Pieces - Pressed Edge			
SIZE	TYPE	FINISH	COLORS
0.5" x 8"	Jolly	Glossy	Arctic Chalk Sand Coral Jade Sapphire Carbon

All Sizes are Nominal



2.5" x 8" Wall Tile in Arctic

COLORS:



Arctic



Chalk



Sand



Coral



Jade



Sapphire



Carbon

V1 

V3 

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.



2.5" x 8" Wall Tile in Carbon

Features	Test Method	Value
Length and Width	ISO 10545 - 2	± 0.5%
Thickness		± 5%
Straightness of Sides		± 0.3%
Rectangularity		± 0.5%
Surface Flatness		± 0.5%
Surface Quality		Min. 95% of tiles free of visible defects
Warpage		± 0.5%
Water Absorption	ISO 10545 - 3	> 10%
Modulus of Rupture / Bending Strength	ISO 10545 - 4	> 15N/mm ²
Breaking Strength		> 600N
Thermal Shock Resistance	ISO 10545 - 9	Resistant
Crazing Resistance	ISO 10545 - 11	Resistant
Chemical Resistance (Domestic)	ISO 10545 - 13	GA
Chemical Resistance (Low Concentration)		GLA
Fire Resistance	-	A1/A1 _{FL}
Environmental Product Declaration	-	Industry Wide
Recycled Content	-	37%
LEED	-	Yes
VOC Emissions	-	Zero VOC



This product will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Ceramic Tile
- Glossy Finish
- 8mm Thickness
- Pressed Edge
- V1 - Uniform Variation (Arctic)
- V3 - Moderate Variation (Chalk, Coral, Jade, Sapphire, Carbon, Sand)
- Not Frost Resistant



www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



www.genrose.com