

# KATAMI

 GENROSE



For more product information, scan the QR code.





12" x 36" Wall Deco in Betulla



12" x 36" Wall Deco in Faggio



12" x 36" Wall Deco in Betulla



12" x 36" Wall Deco in Rovere



12" x 36" Wall Deco in Rovere



12" x 36" Wall Deco in Faggio

# AVAILABLE STOCKED ITEMS:

12mm Wall Decos			
SIZE	TYPE	FINISH	COLORS
12" x 36"	Deco	Matte	Betulla   Faggio   Rovere

All Sizes are Nominal.



**Betulla**



**Faggio**



**Rovere**

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

V2 

Features	Test Method	Value	
Thickness	ISO 10545-2	±5%	
Length and Width		±0.60%	
Straightness of Sides		±0.50%	
Rectangularity		±0.50%	
Surface Flatness		±0.50%	
Water Absorption		ISO 10545-3	>10%
Breaking Strength	ISO 10545-4	≥ 600 N	
Modulus Rupture		≥ 12 N/mm2	
Thermal Shock Resistance	ISO 10545-11	Resistant	
Chemical Resistance	ISO 10545-13	Resistance to low concentrations of acids and bases.	Min T GLB
		Resistance to high concentrations of acids and bases.	Min T GHB
		Resistance to cleaning and swimming pool aditives.	Min T3
Stain Resistance	ANSI A137.1	Min T3	
Recycled Material	-	38.6%	
<div style="display: flex; align-items: center; justify-content: space-around;">   </div> <p style="text-align: center;">This product will contribute to USGBC registered LEED projects v4.1. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700. Low Emissions Material • Zero VOC</p>			

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Product Info:**

- Ceramic Wall Tile
- Matte Finish
- 12mm Thickness
- Rectified Edge
- V2 - Slight Shading Variation
- Frost Resistance = No



[www.genrose.com](http://www.genrose.com)

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



[www.genrose.com](http://www.genrose.com)