

KILOSTONE



For the most up-to-date product information, scan the QR code.

12" x 24" Mosaic in Chalk
12" x 24" Field Tile in Coal
24" x 24" Field Tile in Coal



12" x 24" Field Tile in Chalk
24" x 24" Field Tile in Chalk



24" x 48" Field Tile in Coal



2" x 2" Mosaic in Plumb
24" x 24" Field Tile in Plumb
24" x 48" Field Tile in Ash



24" x 24" Field Tile in Ash
3" x 24" Bullnose in Ash



24" x 48" Field Tile in Coal

SPECIAL ORDER ITEMS:


















8mm Field Tiles - Rectified Edge			
SIZE	FINISH		COLORS
12" x 24"	Matte Polished		Chalk Greige Ash Plumb Coal
24" x 24"	Matte Polished		Chalk Greige Ash Plumb Coal
24" x 48"	Matte Polished		Chalk Greige Ash Plumb Coal
48" x 48"	Matte		Chalk Greige Ash Coal
20mm Outdoor Pavers - Rectified Edge			
SIZE	FINISH		COLORS
12" x 48"	Matte		Chalk Greige Ash
24" x 24"	Matte		Chalk Greige Ash
24" x 48"	Matte		Chalk Greige Ash
8mm Mosaics - Rectified Edge			
SHEET SIZE	MOSAIC TYPE	FINISH	COLORS
12" x 12"	2" x 2" Mosaic	Matte Polished	Chalk Greige Ash Plumb Coal
Trim Pieces			
SIZE	TYPE	FINISH	COLORS
3" x 24"	8mm Bullnose	Matte Polished	Chalk Greige Ash Plumb Coal
6" x 12"	7mm Cove Base	Matte	Chalk Greige Ash Plumb Coal

MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 3/8" x 3" 2" x 4"
			1" x 2" 1" x 3" 1 3/8" x 3" 2" x 4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
	Half Hexagon 6.7" Base		2" x 12"		1" x 2" 2" x 4" 5/8" x 4"
	Diamond 4"				
	Hexagon 6"				
	Chevron 2" x 12" 6" x 24"	OCTAGONS		HEXAGONS	
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4" x 2 1/2" w/ 5/8" Dot		1" x 1" 2" x 2" 1 3/8" x 1 3/8" 3" x 3"		1" x 2" 1" x 4"

Other sizes available upon request

COLORS:



Chalk



Ash



Coal



Greige



Plumb

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

2" X 2" MOSAIC:



Chalk




Greige



Ash



Plumb



Coal



2" x 2" Mosaic in Plumb
24" x 48" Field Tile in Ash

Features	Test Method	Value	
Dimensions	ASTM C499	Compliant	
Surface Quality		Min. 95% of tiles free of visible defects	
Warpage	ASTM C485	Compliant	
Wedging	ASTM C502	Compliant	
Water Absorption	ASTM C373	≤ 0.5%	
Breaking Strength	ASTM C648	8mm	20mm
		503 lbf	3300 lbf
Deep Abrasion Resistance	ASTM C1027-99	Class IV	
Thermal Shock Resistance	ASTM C484	Resistant	
Crazing Resistance	ASTM C424	Resistant	
Chemical Resistance (Domestic)	ASTM C650	UA	
Chemical Resistance (Low Concentration)		UA	
Chemical Resistance (High Concentration)		UA	
Fire Resistance	-	A1/A1 _{FL}	
Slip Resistance (Wet)	ANSI A326.3	8mm	20mm
		DCOF ≥ 0.54	DCOF ≥ 0.60
LEED	-	Yes	
Recycled Content	-	≥ 28%	
VOC Emissions	-	Zero VOC	
Declare	-	Red List Free	
Environmental Product Declaration	-	Facility-Specific	
Health Product Declaration	-	Available	
Greenguard	-	Greenguard Gold	
Green Squared	-	Yes	







Declare. This product will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.

Minimum grout size recommended = 5 mm (or approx. 3/16") If staggered tile placement, we recommend using a 30% offset. If specified brick pattern with 1/2 pattern mandatory, a bigger grout is recommended to hide imperfections of installation (minimum 1/4").

Product Info:

- Color Body Porcelain Tile
- Rectified Edge
- Matte | Polished Finishes
- V2 - Slight Shading Variation
- 8mm | 20mm | 7mm (Cove Base) Thicknesses
- Frost Resistant



www.genrose.com



www.genrose.com