





24"x48" Field Tile in Grey





24"x48" Field Tile | 60"x120" Slab in White



## **AVAILABLE STOCKED ITEMS:**

8mm Field Tiles								
SIZE	FINISH		COLORS					
3"x 12"	Polished		White   Beige   Light Taupe   Grey					
6"x 12"	Honed		White   Beige   Light Taupe   Grey					
8mm Mosaics								
SHEET SIZE	TYPE	FINISH	COLORS					
12"x 12"	2"x 2" Mosaic	Honed	White   Beige   Light Taupe   Grey					

## **AVAILABLE SPECIAL ORDER ITEMS:**

8mm Field Tiles							
SIZE	FINISH		COLORS				
12"x 24"	Honed   Polished		White   Beige   Light Taupe   Grey				
24"x 48"	Honed   Polished		White   Beige   Light Taupe   Grey				
8mm Mosaics							
SHEET SIZE	TYPE	FINISH	COLORS				
12"x 12"	2"x 6" Brick Mosaic	Honed	White   Beige   Light Taupe   Grey				
6mm Large	Format Tiles a	and Slabs					
SIZE	FINISH		COLORS				
30"x 60"	Honed   Polished		White				
60"x 120"	Honed   Polished		White				
8mm Trim Pieces							
SIZE	TYPE	FINISH	COLORS				
4"x 24"	Bullnose	Honed   Polished	White   Beige   Light Taupe   Grey				
6"x 12"	Cove Base	Honed	White   Beige   Light Taupe   Grey				


All Sizes are Nominal.



Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.



## 2"X2" MOSAIC



# MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile		2" 4"		1³/ <sub>8</sub> ″x3″ 2″x4″
	a smaller size in any length and width	BRICKS		DIAMONDS	
	combination with a 1" minimum.		1"x2" 1"x3" 1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"
Diamond	4"			* > > >	<sup>5</sup> / <sub>8</sub> "x4"
		OCTAGONS		HEXAGONS	
\ \ \ \ \ Hexagon	6"		2"		417.11
Chevron	2"x12" 6"x24"		w/ 0.6" Squares		1 <sup>1</sup> / <sub>8</sub> " 2"
TRAPEZO	ID W/ DOT	SQUARES		RECTANGLES	
	4"x2 <sup>1</sup> / <sub>2</sub> " w/ <sup>5</sup> / <sub>8</sub> " Dot		1"x1" 2"x2" 1 <sup>3</sup> / <sub>8</sub> "x1 <sup>3</sup> / <sub>8</sub> " 3"x3"		1"x2" 1"x4"

<sup>\*</sup>Other sizes available upon request







Features	Test Method	Value	
Water Absorption	C373	≤ 0.1%	
Thickness Dimension	C499	≤ ± 0.04 in	
Facial Dimension	C499	≤ ± 0.25%	
Warpage Average	C485	≤ ± 0.40%	
Wedging Average	C502	≤ ± 0.25%	
Bond Strength	C482	≥ 200 psi	
Breaking Strength	C648	≥ 400 lbf	
Hardness (Mohs)	-	≥ 7	
Visible Abrasion Resistance for Glaze Tile	C1027	Class 4	
Frost Resistance	C1026	Resistant	
Chemical Resistance	C650	Class A	
Stain Resistance	C1378	Class A*	
DCOF (WET)	-	≥ 0.52 (Honed)*	









This product is GREENGUARD® certified and will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.

Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

\*Values given are for honed material. No values are given for polished material.

The polished finish is not recommended on the floor in areas subject to exposure for grease, oil or water.

#### **Product Info:**

- Glazed Porcelain Tile
- Honed | Polished Finishes
- 8mm | 6mm Thicknesses
- Rectified Edge
- PEI Rating = 4
- V2 Slight Shading Variation
- Frost Resistance = Yes





www.genrose.com



www.genrose.com