LAZIO







For the most up-to-date product information, scan the QR code.


24" x 48" Field Tile in Light Taupe





24" x 48" Field Tile in Beige





24" x 48" Field Tile in White



AVAILABLE STOCKED ITEMS:

8mm Field Tiles - Rectified Edge							
SIZE	FINISH		COLORS				
3" x 12"	Polished		White Beige Light Taupe Grey				
6" x 12"	Honed		White Beige Light Taupe Grey				
8mm Mosaics - Rectified Edge							
SHEET SIZE	MOSAIC TYPE	FINISH	COLORS				
12" x 12"	2" × 2"	Honed	White Beige Light Taupe Grey				

AVAILABLE SPECIAL ORDER ITEMS:

8mm Field Tiles - Rectified Edge								
SIZE	FINISH		COLORS					
12" x 24"	Honed Polished		White Beige Light Taupe Grey					
24" × 48"	Honed Polished		White Beige Light Taupe Grey					
8mm Mosaics - Rectified Edge								
SHEET SIZE	MOSAIC TYPE	FINISH	COLORS					
12" x 12"	2″ x 6″ Brick	Honed	White Beige Light Taupe Grey					
8mm Trim Pieces - Rectified Edge								
SIZE	ТҮРЕ	FINISH	COLORS					
4" × 24"	Bullnose	Honed Polished	White Beige Light Taupe Grey					
6" x 12"	Cove Base	Honed	White Beige Light Taupe Grey					

All Sizes are Nominal.

COLORS:



Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.


2" X 2" MOSAIC:



MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information

This represents a small portion of the mosaic patterns we offer. We can cut any field tile to create a custom mosaic or field tile size as specified.








Light Taupe




Grey

BES	BASKETWEAVE				
2" 4"		1³/8″x3″ 2″x4″			
ICKS	DIAMONDS				
1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"			
/RONS	HERRINGBONE				
2"×12"		1"x2" 2"x4" ⁵ /8"x4"			
AGONS	HEXAGONS				
2" w/ 0.6" Squares		1 ¹ /8" 2"			
ARES	RECTANGLES				
1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3"		1"x2" 1"x4"			





Features	Test Method	Value			
Dimensions		Compliant			
Surface Quality	ASTM C499	Min 95% of surface free of visible defects			
Water Absorption	ASTM C373	≤ 0.1%			
Warpage	ASTM C485	≤ ± 0.40%			
Wedging	ASTM C502	≤ ± 0.25%			
Breaking Strength	ASTM C648	≥ 400 lbf			
Chemical Resistance (Domestic)	ASTM C650	А			
Fire Resistance	-	A1/A1 _{FL}			
	ANSI A326.3	Polished	Honed		
Slip Resistance (Wet)		DCOF Does Not Pass	DCOF 0.70		
LEED	-	Yes			
Recycled Content	-	> 14%	> 40%		
VOC Emissions	-	Zero VOC			
Environmental Product Declaration	-	Yes			
Greenguard	-	Greenguard Gold			
Green Squared	-	Yes			
This product is GREENGUARD® certified and will contribute to USGBC registered LEED projects It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700					



*Values given are for honed material. No values are given for polished material. The polished finish is not recommended on the floor in areas subject to exposure for grease, oil or water.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Tile
- Honed | Polished Finishes
- 8mm Thickness
- Rectified Edge
- V2 Slight Shading Variation
- Frost Resistance = Yes



www.genrose.com



www.genrose.com