

MAGARI



For the most up-to-date product information, scan the QR code.

24" x 48" Field Tile in Blue Roma
48" x 48" Field Tile in Blue Roma



48" x 48" Field Tile in Canela Roma
64" x 127" Slab in Canela Roma



48" x 48" Field Tile in Taj White



48" x 48" Field Tile in Taj Mahal

AVAILABLE STOCKED ITEMS:

| 10mm Floor/Wall Tiles - Rectified Edge | | | |
|--|----------------|---|---|
| SIZE | FINISH | COLORS | |
| 4" x 12" | Matte | Blue Roma Canela Roma Taj Mahal Taj White | |
| 12" x 24" | | | |
| 24" x 48" | | | |
| 48" x 48" | | | |
| 10mm Mosaics - Rectified Edge | | | |
| SHEET SIZE | TYPE | FINISH | COLORS |
| 12" x 12" | 2" x 2" Square | Matte | Blue Roma Canela Roma Taj Mahal Taj White |
| 12" x 12" | 3" Hexagon | | |
| 5.6mm Slabs - Rectified Edge | | | |
| SIZE | FINISH | COLORS | |
| 48" x 109" | Matte | Taj Mahal Canela Roma Blue Roma | |
| 12mm Slabs - Rectified Edge | | | |
| SIZE | TYPE | FINISH | COLORS |
| 64" x 127" | Bookmatch A+B* | Matte | Canela Roma Blue Roma |

*Note: A and B pieces are required to complete pattern
All Sizes are Nominal.



48" x 48" Field Tile in Taj White


COLORS:



Blue Roma



Taj Mahal




Canela Roma



Taj White

Colors shown may vary from actual product. Final selection should be made from actual product samples.
Products and availability are subject to change, please refer to our website for the most up to date selection.

2" X 2" MOSAICS:




Blue Roma



Taj Mahal




Canela Roma




Taj White

HEXAGON MOSAICS:



Blue Roma



Taj Mahal



Canela Roma



Taj White

SLABS:



Blue Roma



Taj Mahal



Canela Roma




















48" x 48" Field Tile in Canela Roma
64" x 127" Slab in Canela Roma

MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

| FIELD TILES | | CUBES | | BASKETWEAVE | | |
|--|---|--|---|--|---|--------------|
|  | Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum. |  | 2" 4" |  | 1 3/8" x 3" 2" x 4" | |
|  | | BRICKS | | DIAMONDS | | |
| | |  | 1" x 2" 1" x 3" 1 3/8" x 3" 2" x 4" |  | 2" | |
| FIELD SHAPES* | | CHEVRONS | | HERRINGBONE | | |
|  | Half Hexagon | 6.7" Base |  |  | 1" x 2" 2" x 4" 5/8" x 4" | |
|  | Diamond | 4" | | | | |
|  | Hexagon | 6" | OCTAGONS | | HEXAGONS | |
|  | Chevron | 2" x 12" 6" x 24" |  | 2" w/ 0.6" Squares |  | 1 1/8" 2" |
| TRAPEZOID W/ DOT | | SQUARES | | RECTANGLES | | |
|  | 4" x 2 1/2" w/ 5/8" Dot |  | 1" x 1" 2" x 2" 1 3/8" x 1 3/8" 3" x 3" |  | 1" x 2" 1" x 4" | |

*Other sizes available upon request.



48" x 48" Field Tile in Blue Roma
64" x 127" Slab in Blue Roma



MAGARI
Porcelain Tile

| Features | Test Method | Value | | |
|--|----------------|---|-------------|--------------|
| Dimensions | ISO 10545 - 2 | Compliant | | |
| Surface Quality | | Min. 95% of tiles free of visible defects | | |
| Warpage | | Compliant | | |
| Water Absorption | ISO 10545 - 3 | < 0.5% | | |
| Modulus of Rupture / Bending Strength | ISO 10545 - 4 | > 45 N/mm ² | | |
| Breaking Strength | | 12mm | 10mm | 5.6mm |
| | | > 1100 N | > 1300 N | ≥ 700 N |
| Deep Abrasion Resistance | ISO 10545 - 6 | 12mm Resistant | | |
| Coefficient of Linear Thermal Expansion | ISO 10545 - 8 | < 7 x 10 ⁻⁶ K ⁻¹ | | |
| Thermal Shock Resistance | ISO 10545 - 9 | Resistant | | |
| Crazing Resistance | ISO 10545 - 11 | Resistant | | |
| Chemical Resistance (Domestic) | ISO 10545 - 13 | GA | | |
| Chemical Resistance (Low Concentration) | | GLA | | |
| Chemical Resistance (High Concentration) | | GHA | | |
| Fire Resistance | - | A1/A1 _{FL} | | |
| Slip Resistance (Wet) | ANSI A326.3 | DCOF 0.49 | | |
| Recycled Content | - | 16% | | |
| VOC Emissions | - | Zero VOC | | |
| Material Health Certification | - | Certificate Available | | |
| LEED | - | Yes | | |
| Environmental Product Declaration | - | Product-Specific | | |



This product will contribute to USGBC registered LEED projects.
It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Slabs
- Glazed Porcelain Tile/Slabs
- Matte Finish
- 5.6mm | 10mm | 12mm Thicknesses
- Rectified Edge
- V2 - Slight Variation
- Frost Resistant



www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



www.genrose.com