

METAL EXPERIENCE





24"x24" Field Tile in Lithium



24"x24" Field Tile in Chromium

AVAILABLE IN:

Field Tiles

Rectified Edge

- 12"x24" 9mm Matte Finish
- 24"x24" 9mm Matte Finish
- 16"x32" 10mm Matte Finish
- 32"x32" 10mm Matte Finish


- All sizes are NOMINAL

Mosaics + Special Shapes

2"x2" Mosaic Matte Finish

















Trim Pieces

3"x24" Bullnose Matte Finish



MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer.
We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 3/8"x3" 2"x4"
		BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 3/8"x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
	Half Hexagon 6.7" Base		2"x12"		1"x2" 2"x4" 5/8"x4"
	Diamond 4"			HEXAGONS	
	Hexagon 6"	OCTAGONS			1 1/8" 2"
	Chevron 2"x12" 6"x24"		2" w/ 0.6" Squares		
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 1/2" w/ 5/8" Dot		1"x1" 1 3/8"x1 3/8" 2"x2" 3"x3"		1"x2" 1"x4"

*Other sizes available upon request



Lithium



Chromium



Iron




Titanium



Oxide

Colors shown may vary from actual product. Final selection should be made from actual product samples.

2"X2" MOSAIC




Lithium




Chromium



Iron



Titanium



Oxide



32"x32" Field Tile in Titanium

Features	Test Method	Value	
Thickness	-	32"x32" and 16"x32"	12"x24" and 24"x24"
		10 mm	9 mm
Water Absorption	ISO 10545-3	≤ 0.5	
Breaking Strength	ISO 10545-4	≥ 330	
Abrasion Resistance	ISO 10545-7	4	
Scratch Hardness	-	6	
Frost Resistance	ISO 10545-12	Resistant	
Chemical Resistance	ISO 10545-13	Class A - Resistant	
Stain Resistance	ASTM C-1378	Class A	
DCOF (Wet)	ANSI B-101.3	≥ 0.42	

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Color Body Porcelain Tile
- Matte Finish
- 9mm | 10mm Thickness
- Rectified Edge
- PEI Rating = 4
- V3 - Moderate Variation
- Frost Resistance = Yes





www.genrose.com