



8"x8" Field Tile in White




8"x8" Field Tile in Blue



8"x8" Field Tile in Nude | Brown



8"x8" Field Tile in Grey | Green



8"x8" Field Tile in Green



8"x8" Field Tile in White

AVAILABLE IN:

Field Tile Random Mix

8"x8" Matte Finish


- All sizes are NOMINAL




8"x8" Field Tile in Brown




White




Blue




Grey



Nude




Green




Brown

Colors shown may vary from actual product. Final selection should be made from actual product samples.


FIELD TILE AVAILABLE IN RANDOM PATTERN ONLY




White




Blue




Grey



Nude



Green



Brown



NOTES
Glazed Porcelain Tile

Features	Test Method	Value		
Surface Quality	ISO 10545-2	> 95%		
Curvature Flatness	ISO 10545-2	± 0.5 % / ± 2.0 mm		
Thickness	ISO 10545-2	± 5% / ± 0.5 mm		
Length and Width	ISO 10545-2	± 0.6 % / ± 2.0 mm		
Rectangularity	ISO 10545-2	± 0.5% / ± 2.0 mm		
Straightness of Sides	ISO 10545-2	± 0.5 % / ± 1.5 mm		
Water Absorption	ISO 10545-3	< 0.5		
Breaking Strength	ISO 10545-4	> 1300 N		
Modulus of Rupture	ISO 10545-4	> 35 N/mm²		
Surface Abrasion Resistance	ISO 10545-7	3 (Grey Nude White) 2 (Blue Brown Green)		
Thermal Shock Resistance	ISO 10545-9	Resistant		
Crazing Resistance	ISO 10545-11	Resistant		
Frost Resistance	ISO 10545-12	Resistant		
Resistance of Chemical Attack	ISO 10545-13	High Concentration	Low Concentration	Domestic Chemicals
		GHA	GLA	GA
Stain Resistance	ISO 10545-14	5/-/5/5		
Surface Scratch Resistance	EN-101	5		
Slip Resistance (Pendulum Test)	UNE-ENV-12633	1		
Slip Resistance Test (PTV) - Wet Conditions	BS-7976-2	+36		
Critical Angle (Footwear)	DIN-51130	R-9		

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8” wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16” wide.

Product Info:

- Glazed Porcelain Tile
- Matte Finish
- 8.5mm Thickness
- Pressed Edge
- PEI Rating = 3 (Grey | Nude | White)
2 (Blue | Brown | Green)
- V1 - Uniform Appearance
- Frost Resistance = Yes



www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



www.genrose.com