ODYSSEY









30"x 60" Field Tile in Screziato Vivace 2"x 2" Mosaic in Screziato Vivace

AVAILABLE STOCK ITEMS:

10mm Fie	ld Tiles				
SIZE	FINISH		COLORS		
12"x24"	Matte Polished		Arabescato Screziato Vivace Verde Intenso		
30"x30"	Polished		Arabescato Screziato Vivace Verde Intenso		
10mm Mosaics					
SHEET SIZE	TYPE	FINISH	COLORS		
12"x12"	2"x2" Mosaic	Matte	Arabescato Screziato Vivace Verde Intenso		
11.5"x11.5"	Herringbone Mosaic	Matte	Arabescato Screziato Vivace Verde Intenso		
10mm Trim Pieces					
SIZE	TYPE	FINISH	COLORS		
3"x24"	Bullnose	Polished	Arabescato Screziato Vivace Verde Intenso		

AVAILABLE SPECIAL ORDER ITEMS:

10mm Fie	ld Tiles				
SIZE	I	FINISH	COLORS		
6"x6"					
3"x12"					
12"x12"	N4				
24"x24"	Matte Polished		Arabescato Screziato Vivace Verde Intenso		
30"x30"					
30"x60"					
10mm Trii	m Pieces				
SIZE	TYPE FINISH		COLORS		
3"x24"	Bullnose	Matte	Andrew L. Compiete Vivered New Johnson		
3"x30"	Bullnose	Matte Polished	Arabescato Screziato Vivace Verde Intenso		



Arabescato





V2


Screziato Vivace Verde Intenso

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection

2"X2" MOSAIC







Arabescato

Screziato Vivace

Verde Intenso

HERRINGBONE MOSAIC







Arabescato

Screziato Vivace

Verde Intenso


MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile		2" 4"		1³/ ₈ ″x3″ 2″x4″
	a smaller size in any length and width	BRICKS		DIAMONDS	
	combination with a 1" minimum.		1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"
○ Diamond	4"			* * * * * * * * * * * * * * * * * * * *	⁵ / ₈ "×4"
		OCTA	GONS	HEXA	GONS
— \ Hexagon	6"		2"		411.11
Chevron	2"x12" 6"x24"		w/ 0.6" Squares		1 ¹ / ₈ " 2"
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ ⁵ / ₈ " Dot		1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3"		1"x2" 1"x4"

^{*}Other sizes available upon request





ODYSSEYColor Body Porcelain Tile

Features	Test Method	Value	
Length and Width		± 0.6%	
Thistman		± 2mm ± 5%	
Thickness		± 0.5mm	
Straightness of Sides		± 0.5% ± 1.5mm	
Rectangularity	ISO 10545-2	± 0.5% ± 2.0mm	
Surface Flatness		± 0.5% ± 2.0mm	
Surface Quality		95% of Tiles with No Defaults	
Water Absorption	ISO 10545-3	≤ 0.5% Maximum Single Value	
Average Bending Strength	100 10545 4	35 N/mm²	
Breaking Strength	ISO 10545-4	≥ 7.5 mm: 1300 N Min	
Resistance to Surface Abrasion	ISO 10545-7	4	
Crazing Resistance	ISO 10545-11	Resistant	
Frost Resistance	ISO 10545-12	Resistant	
Chemical Resistance	ISO 10545-13	GB Min	
Stain Resistance	ISO 10545-14	Class 3 Min	
Antislip Properties	DIN 51130	Matte: R9	
Dynamic Coefficient of Friction	DCOF ANSI A137-1:2012	Matte: Wet: ≥ 0.42	

This product will contribute to USGBC registered LEED projects.

It will also contribute to the ANSI approved NAHB Green Building Standard ICC 70.

Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. If the spec listed is over the minimum standard, it will meet the requirement.





Product Info:

- Color Body Porcelain Tile •
- Matte | Polished Finishes
- 10mm Thickness
- Rectified Edge
- Frost Resistance = Yes
- PEI Rating = 4
- V2 Slight Shading Variation



www.genrose.com



www.genrose.com