

QUORA







SLATE COFFEE ROASTERS SLATE SOFFEE ROASTERS LD - BREW COFFEE CULTURE STABLISHED 1988 MT. OKU REGION 2" x 10" Wall Tile in Avana 4" x 4" Wall Tile in Avana 2" x 10" Lingotto | Cuscino Wall Tile in Avana 4" x 4" Lingotto Wall Tile in Avana





4" x 4" Wall Tile in Black 4" x 4" Lingotto Wall Tile in Black




2" x 10" Wall Tile in White 2" x 10" Lingotto | Cuscino Wall Tile in White



2" x 10" Wall Tile in White 2" x 10" Cuscino Wall Tile in White


4" x 4" Cuscino Wall Tile in White





2" x 10" Wall Tile in Green 2" x 10" Lingotto Wall Tile in Green


4" x 4" Wall Tile in Green 4" x 4" Lingotto Wall Tile in Green







2" x 10" Wall Tile in Blue 2" x 10" Cuscino Wall Tile in Blue





2" x 10" Wall Tile in Bone 2" x 10" Cannettato Wall Tile in Bone


4" x 4" Wall Tile in Bone 4" x 4" Cuscino Wall Tile in Bone

AVAILABLE STOCKED ITEMS:


9mm Wal	I Tile - Presse	ed Edge				
SIZE	FINISH		STOCKED COLORS	SPECIAL ORDER COLORS		
2" x 10"	Matte Glossy		White Bone Blue Black	Avana Green Grey		
4" × 4"	Matte Glossy		White Bone Blue Black	Avana Green Grey		
15mm Wa	all Dimensiona	al - Press	ed Edg	е		
SIZE	TYPE		FINISH	STOCKED COLORS	FINISH	SPECIAL ORDER COLORS
2" x 10"	Lingotto Cuscino Cannettato		Glossy	White Bone Blue Black	Matte	White Bone Blue Black Grey Avana Green
					Glossy	Avana Green Grey
4" × 4"	Lingotto		Glossy	White Bone Blue Black	Matte	White Bone Blue Black Grey Avana Green
					Glossy	Avana Green Grey
	Cuscino		Glossy	White Bone Blue Black	Matte	White Bone Blue Black Grey Avana Green
					Glossy	Avana Green Grey
9mm Trim	Pieces - Pre	ssed Edg	(e			
SIZE	TYPE	FINISH		STOCKED COLORS	SPECIAL ORDER COLORS	
0.5" x 8"	Jolly Matte Glossy		White Bone Blue Black	Avana Green Grey		

All Sizes are Nominal.

COLORS:




WALL DIMENSIONAL TILE







WALL DIMENSIONAL TILE



Green

Note: Product is subject to natural shade variation when mixing textures and sizes.

Avana





Features	Test Method	Value
Length and Width		± 2.0% of nominal dimensions
Thickness		≤ 0.031″
Straightness of Sides	ASTM C499	± 0.40% or max ± 0.05"
Rectangularity		± .25%
Surface Flatness		± 0.40% or max ± 0.05"
Warpage	ASTM C485	30% / + .40% or max - 0.05"/+0.07"
Wedging	ASTM C502	±.40% or max ±.05"
Water Absorption	ISO 10545-3	<10%
Modulus of Rupture / Bending Strength	ISO 10545-4	≥ 15 N/mm²
Breaking Strength	ISO 10545-4	≥ 200 N
Abrasion Resistance	ISO 10545-8	7.1x10 ⁻⁶ C ⁻¹
Coefficient of Linear Thermal Expansion	ISO 10545-9	Compliant
Thermal Shock Resistance	ISO 10545-11	Resistant
Crazing Resistance	ISO 10545-12	Resistant
Frost Resistance	ASTM 1026	Not Resistant
Chemical Resistance	ASTM C650	LA, HA
Stain Resistance	ASTM C1378	Resistant
Recycled Material	-	62%
VOC Emissions		Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Ceramic Tile
- Glossy | Matte Finishes
- 9mm | 15mm Thicknesses
- Pressed Edge
- V1 Uniformed Variation
- Frost Resistance = No

Note:

Product is subject to natural shade variation when mixing textures and sizes.









www.genrose.com