

RESPLENDENT





Chevron Mosaic in Carrara Pure



63"x126" in Bianco Dolomite



63"x126" in Bianco Dolomite



48" x 48" in Bianco Dolomite
48" x 96" in Bianco Dolomite



63" x 126" in Bianco Dolomite

AVAILABLE STOCK ITEMS:

9mm Field Tiles			
SIZE	FINISH	COLORS	
3"x12"	Polished	Bianco Dolomite Carrara Pure	
6"x12"	Matte	Bianco Dolomite Carrara Pure	
12"x24"	Matte Polished	Bianco Dolomite Carrara Pure	
24"x48"	Polished	Bianco Dolomite Carrara Pure	
	Matte	Carrara Pure	
9mm Mosaics			
TYPE	FINISH	COLORS	
2"x2" Mosaic	Matte	Bianco Dolomite Carrara Pure	
Herringbone Mosaic	Polished	Bianco Dolomite Carrara Pure	
Basketweave Mosaic	Matte	Bianco Dolomite Carrara Pure	
3D Cube Mosaic	Polished	Bianco Dolomite Carrara Pure	
9mm Trim Pieces			
SIZE	TYPE	FINISH	COLORS
3"x24"	Bullnose	Matte Polished	Bianco Dolomite Carrara Pure

















All Sizes are Nominal.

MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 ³ / ₈ "x3" 2"x4"
FIELD SHAPES*		BRICKS		DIAMONDS	
	Half Hexagon 6.7" Base		1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
	Diamond 4"	CHEVRONS		HERRINGBONE	
	Hexagon 6"		2"x12"		1"x2" 2"x4" 5 ¹ / ₈ "x4"
	Chevron 2"x12" 6"x24"	OCTAGONS		HEXAGONS	
			2" w/ 0.6" Squares		1 ¹ / ₈ " 2"
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ 5 ¹ / ₈ " Dot		1"x1" 1 ³ / ₈ "x1 ³ / ₈ " 2"x2" 3"x3"		1"x2" 1"x4"

*Other sizes available upon request

AVAILABLE SPECIAL ORDER ITEMS:

9mm Field Tiles			
SIZE	FINISH	COLORS	
24"x24"	Matte Polished	Bianco Dolomite Carrara Pure	
30"x30"	Polished	Bianco Dolomite Carrara Pure	
24"x48"	Matte	Bianco Dolomite	
48"x48"	Matte Polished	Bianco Dolomite Carrara Pure	
30"x60"	Polished	Bianco Dolomite Carrara Pure	
9mm Slab			
SIZE	FINISH	COLORS	
48"x96"	Polished	Bianco Dolomite Carrara Pure	
6mm Slab			
SIZE	FINISH	COLORS	
63"x63"	Polished	Bianco Dolomite	
48"x110"	Matte Polished	Bianco Dolomite Carrara Pure	
63"x126"	Polished	Bianco Dolomite	
9mm Mosaics			
TYPE	FINISH	COLORS	
Chevron Mosaic	Polished	Bianco Dolomite Carrara Pure	
9mm Trim Pieces Made to Order			
SIZE	TYPE	FINISH	COLORS
12"x24"	Gradino	Matte	Bianco Dolomite Carrara Pure
13"x13"	Scalino	Matte	Bianco Dolomite Carrara Pure
13"x24"	Scalino	Matte	Bianco Dolomite Carrara Pure

All Sizes are Nominal.



Bianco Dolomite




Carrara Pure

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

2X2 MOSAIC



Bianco Dolomite



Carrara Pure

HERRINGBONE MOSAIC



Bianco Dolomite



Carrara Pure

BASKETWEAVE MOSAIC



Bianco Dolomite



Carrara Pure

3D CUBE MOSAIC



Bianco Dolomite



Carrara Pure

CHEVRON MOSAIC



Bianco Dolomite



Carrara Pure



RESPLENDENT
Color Body Porcelain Tile

Features	Test Method	Value		
		Polished 6mm 9mm	Matte 6mm	Matte 9mm
Length and Width	ISO 10545 - 2	± 0.3% ± 1.0 mm		
Thickness		± 5% ± 0.5 mm		
Straightness of Sides		± 0.3% ± 0.8 mm		
Perpendicularity		± 0.3% ± 1.5 mm		
Surface Flatness		± 0.4% ± 1.8 mm		
Water Absorption	ISO 10545 - 3 ASTM C373-18	≤ 0.1 % ≤ 0.5 %		
Bending Strength	ISO 10545 - 4	S ≥ 1000N - 6mm S ≥ 1500N - 9mm	S ≥ 1000N	S ≥ 1500N
Breaking Strength		R ≥ 40N/mm ²		
Impact Resistance	ISO 10545 - 5	≥ 0.55		
Deep Abrasion Resistance	ISO 10545 - 6	≤ 150mm ³		
Coefficient of Linear Thermal Expansion	ISO 10545 - 8	≤ 7MK ⁻¹		
Thermal Shock Resistance	ISO 10545 - 9	Resistant		
Moisture Expansion	ISO 10545 - 10	≤ 0.01%		
Frost Resistance	ISO 10545 - 12	Resistant		
Bond Strength	EN 1348	≥ 1.0 N/mm ² (Class C - EN 12004)		
Reaction to Fire	-	A1 - A1 _{fl}		
Resistance to Household Chemicals and Swimming Pool Salts	ISO 10545 - 13	A		
Chemical Resistance (Low Concentrations)		LA		
Chemical Resistance (High Concentrations)		-	HA	
Stain Resistance	ISO 10545 - 14	5		
Recycled Content	-	20%		
DCOF	ANSI A 326.3	≥ 0.50 Dry	≥ 0.50 Wet	≥ 0.5 Dry (up to 48" x 48")
This product will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700. Low Emissions Material • Zero VOC				

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Disclaimer: DCOF wet and dry is different on every production lot and can vary. If the spec listed is over the minimum standard, it will meet the requirement.

Product Info:

- Color Body Porcelain Tile
- Rectified Edge
- Matte (Honed) | Polished Finishes
- V2 - Slight Shading Variation
- 6mm | 9mm Thicknesses
- Frost Resistance = Yes



www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



www.genrose.com