





24"x48" Wall Deco in Python  
48"x48" Field Tile in Aqua Blue Gold



48"x48" Field Tile in Patagonia



48"x48" Field Tile in Patagonia



24"x48" Wall Deco in Jaguar



48" x 48" Field Tile in Aqua Blue Gold

# AVAILABLE IN:


6.5mm Field Tiles		
SIZE	FINISH	COLORS
48"x48"	Polished	Patagonia   Aqua Blue Gold
6.5mm Wall Deco		
SIZE	FINISH	COLORS
24"x48"	Polished	Jaguar   Python   Zebra




Aqua Blue Gold



Patagonia



Jaguar



Python













Zebra

# MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 3/8" x 3" 2" x 4"
		BRICKS		DIAMONDS	
			1" x 2" 1" x 3" 1 3/8" x 3" 2" x 4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
	Half Hexagon 6.7" Base		2" x 12"		1" x 2" 2" x 4" 5/8" x 4"
	Diamond 4"			HEXAGONS	
	Hexagon 6"		2" w/ 0.6" Squares		1 1/8" 2"
	Chevron 2" x 12" 6" x 24"			RECTANGLES	
TRAPEZOID W/ DOT		SQUARES			1" x 2" 1" x 4"
	4" x 2 1/2" w/ 5/8" Dot		1" x 1"    2" x 2" 1 3/8" x 1 3/8"    3" x 3"		

\*Other sizes available upon request

All Sizes are Nominal.

Colors shown may vary from actual product. Final selection should be made from actual product samples.



48"x48" Field Tile in Patagonia

Features	Test Method	Value	
Water Absorption	ISO 10545-3	< 0.1%	
Flexural Resistance	ISO 10545-4	> 45 N/mm <sup>2</sup>	
Modulus of Rupture	ISO 10545-4	S ≥ 700 N	
Deep Abrasion Resistance	ISO 10545-6	<140 mm <sup>3</sup>	
Linear Expansion Thermic Coefficient	ISO 10545-8	≤7x10 <sup>-6</sup> °C <sup>-1</sup>	
Resistance To Sudden Temperature Changes	ISO 10545-9	Resistant	
Frost Resistance	ISO 10545-12	Resistant	
Chemical Resistance	ISO 10545-13	Household	Low Concentration
		Class A	LB
Stain Resistance	ISO 10545-14	5	
DCOF (WET)	ANSI B101.3	≥ 0.45	



This product will contribute to USGBC registered LEED projects.  
 It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.  
 Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Product Info:**

- Color Body Porcelain Tile
- Polished Finish
- 6.5mm Thickness
- Rectified Edge
- V2 - Slight Shading Variation
- Frost Resistance = Yes





[www.genrose.com](http://www.genrose.com)