

SENSATION

 **GENROSE**



AVAILABLE IN:

Field Tile

Rectified Edge

12"x24" Textured Finish

Mosaic








2"x2" Mosaic Textured Finish

- All sizes are NOMINAL

MADE TO ORDER FIELD TILES AND MOSAICS:


This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 ³ / ₈ "x3" 2"x4"
		BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
 Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4" 5/8"x4"
 Diamond	4"			HEXAGONS	
 Hexagon	6"	OCTAGONS			1 ¹ / ₈ " 2"
 Chevron	2"x12" 6"x24"		2" w/ 0.6" Squares		
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ 5/8" Dot		1"x1" 1 ³ / ₈ "x1 ³ / ₈ " 2"x2" 3"x3"		1"x2" 1"x4"

*Other sizes available upon request

COLOR SWATCHES



Snow Crest



Pearl Essence



Summer Breeze




Sun Glow




Evening Sunset


2"X2" MOSAIC




Snow Crest



Pearl Essence



Summer Breeze



Sun Glow



Evening Sunset

Colors shown may vary from actual product. Final selection should be made from actual product samples.

V1 

Features	Test Method	Value
Water Absorption	ASTM C373	0.05%
Breaking Strength	ASTM C648	502 lbf
Chemical Resistance	ASTM C650	Class A
Visible Abrasion Resistance (PEI)	ASTM C1027	4
Static C.O.F.	ASTM C1028	DRY 0.83 WET 0.63
Dynamic C.O.F.	BOT 3000	0.58
MOHS	-	7
Recycled Content	-	≥ 40% ≥ 11% (Snow Crest & Summer Breeze)

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Color Body Porcelain Tile
- Textured Finish
- Rectified Edge
- PEI Rating = 4
- V1 - Uniform Appearance
- Frost Resistance = Yes



www.genrose.com



www.genrose.com