
SIGMA











3"x12" Wall Tile in Stone

AVAILABLE SPECIAL ORDER ITEMS:

9mm Wall	Tiles		
SIZE	EDGE	FINISH	COLORS
3"x 12"	Pressed	Glossy	Powder Silver Stone Bamboo Sky Sterling Charcoal Ink Petal Emerald
6" Hexagon	Pressed	Glossy	Powder Silver Stone Bamboo Sky Sterling Charcoal Ink Petal Emerald
Trim Piece	S		
SIZE	ТҮРЕ	FINISH	COLORS
.39" x 12"	Quarter Round	Glossy	Powder Silver Stone Bamboo Sky Sterling Charcoal Ink Petal Emerald

- All sizes are NOMINAL





Powder

Silver



Bamboo




Charcoal



Emerald

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

















Sterling







6" HEXAGON WALL TILE





3"x12" Wall Tile in Petal



Features	Test Method	Value
Water Absorption	ANSI / ISO - %	10% ≤ E ≤ 18% - P4
Breaking Strength	ANSI ISO	> 240 lbf >1000 N
Scratch Hardness (MOHS)	ANSI / ISO	2 Mohs
Abrasion Resistance	ANSI / ISO	Class 0
Frost Resistance	ANSI / ISO	Not Resistant
Chemical Resistance	ANSI / ISO	Class B
Stain Resistance	ANSI ISO	Class B Class 4

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Recommended Application:

Interior Walls for Residential + Commercial (Not Heavy Commercial)

Product Info:

- Ceramic Wall Tile
- Glossy Finish
- 9mm Thickness
- Pressed Edge
- V2 Slight Shading Variation
- Frost Resistance = No



www.genrose.com



www.genrose.com