## **SKYLARK**











3"x12" Wall Tile in Feathered Dark Green



5"x5" Wall Tile in Quill Grey 3"x12" Wall Tile in Quill Grey | Birds Eye Blue | Nocturnal Navy







5"x5" Wall Tile in Whistling White 3"x12" Wall Tile in Plumage Dark Pink

## **AVAILABLE IN:**

8.5mm Wall Tiles			
SIZE	FINISH	COLORS	
5"x5"	Glossy  Whistling White   Quill Grey   Natural Down   Nest Beige   Perched Pink  Plumage Dark Pink   Birds Eye Blue   Nocturnal Navy   Gliding Green   Feathered Dark Green		
3"x12"	Glossy	Whistling White   Quill Grey   Natural Down   Nest Beige   Perched Pink Plumage Dark Pink   Birds Eye Blue   Nocturnal Navy   Gliding Green   Feathered Dark Green	

All Sizes are Nominal.

















**Quill Grey** 

**Perched Pink** 




Birds Eye Blue







Plumage Dark Pink







Features	Test Method	Value
Water Absorption	C373	7.0% < Value ≤20.0%
Breaking Strength	C648	>150 lb <sub>f</sub>
Thermal Shock Resistance	C484	No sample must show visible signs
Freeze/Thaw Resistance	C1026	No sample must show visible signs
Bond Strength	C482	<sup>3</sup> 50 PSI (0.34 MPa)
Thickness	C499	max ± 0.030 inch
Surface Hardness	Mohs Scale	5 Mohs
Recycled Material	-	≥40%







This product will contribute to USGBC registered LEED projects.

It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.

Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

## Product Info:

- Ceramic Tile
- Glossy Finish
- 8.5mm Thickness
- Pressed Edge
- V3 Moderate Variation
- Frost Resistance = No



www.genrose.com



www.genrose.com