







24"x 24" Field Tile in Levity 48"x 110" Wall Deco in Ink





4"x 24" Wall Tile in Levity 24"x 24" Field Tile in Chimney 48"x 110" Hoop Wall Deco in (A+B)

## **AVAILABLE IN:**

9mm Field T	iles				
SIZE	FI	NISH	COLORS		
2" x 8"	Soft		Candle   Glare   Levity   Wing   Manor   Plume   Spice   Verve   Ink   Chimney		
4" × 24"	S	Soft	Candle   Glare   Levity   Wing   Manor   Plume   Spice   Verve   Ink   Chimney		
4" × 24"	M	latte	Candle   Glare   Levity   Wing   Manor   Plume   Chimney		
12" × 24"	S	Soft	Candle   Glare   Levity   Wing   Manor   Plume   Spice   Verve   Ink   Chimney		
12" x 24"	M	latte	Candle   Glare   Levity   Wing   Manor   Plume   Chimney		
24" × 24"		Soft	Candle   Glare   Levity   Wing   Manor   Plume   Spice   Verve   Ink   Chimney		
24" × 24"	N	latte	Candle   Glare   Levity   Wing   Manor   Plume   Chimney		
24" x 48"	9	Soft	Candle   Glare   Levity   Wing   Manor   Spice   Verve   Ink		
24" x 48"	N	latte	Candle   Glare   Levity   Wing   Manor		
32" x 32"	Soft	Matte	Candle   Glare   Levity   Wing   Manor		
48" × 48"	Soft	Matte	Candle   Glare   Levity   Wing   Manor		
20mm Paver					
SIZE	FI	NISH	COLORS		
24" × 24"	Stru	ctured	Levity   Wing   Plume		
6mm Slab					
SIZE	FI	NISH	COLORS		
48" x 110"	N	latte	Glare   Levity   Wing		
6mm Wall D	ecos				
SIZE	SLAB TYPE	FINISH	COLORS		
48" x 110"	Dusk Deco	Matte	Spice   Verve		
48" x 110"	Hoop Deco (A+B)	Matte	Mixed		
48" x 110"	Reed Deco	Matte	Mixed		
48" x 110"	Coordinating Solids For Decos	Matte	Spice   Verve   Ink		
9mm Mosai	cs				
SHEET SIZE	TYPE	FINISH	COLORS		
12" x 12"	2"x2" Mosaic	Soft	Candle   Glare   Levity   Wing   Manor   Plume   Spice   Verve   Ink   Chimney		
12" x 12"	Basketweave Mosaic	Soft	Candle w/ Spice Dot   Candle w/ Wing Dot   Candle w/ Verve Dot   Glare w/ Ink Dot   Levity w/ Chimney Dot		
9mm Trim Pi	eces				
SHEET SIZE	TYPE	FINISH	COLORS		
3" × 24"	Bullnose	Soft	Candle   Glare   Levity   Wing   Manor   Plume   Spice   Verve   Ink   Chimney		
13" x 48"	Step Tread	Soft	Candle   Glare   Levity   Wing   Manor   Spice   Verve   Ink		
13" x 48"	Step Tread	Matte	Candle   Glare   Levity   Wing   Manor		
13" x 24"	Step Tread	Soft	Candle   Glare   Levity   Wing   Manor   Plume   Spice   Verve   Ink   Chimney		
13" × 24"	Step Tread	Matte	Candle   Glare   Levity   Wing   Manor   Plume   Chimney		
13" x 13"	Step Tread Corner	Soft	Candle   Glare   Levity   Wing   Manor   Plume   Spice   Verve   Ink   Chimney		
13" x 13"	Step Tread Corner	Matte	Candle   Glare   Levity   Wing   Manor   Plume   Chimney		








#### Chimney


Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

### 2"X2" MOSAIC







Glare



Levity







Ink

### **BASKETWEAVE MOSAIC**



Plume

Candle | Wing



Spice

Candle | Spice



Verve

Candle | Verve



Glare I Ink








24"x 48" Field Tile in Levity | Ink 48" x 48" Field Tile in Levity

**DUSK DECOS** 



Spice





**HOOP DECO** 

Deco B

**COORDINATING SOLIDS FOR DECOS** 

Verve









Verve

Ink



48"x110" Reed Wall Deco

#### MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE		
	Any 24" field tile can be cut down to a smaller size in any		2" 4"		1³/ <sub>8</sub> "x3" 2"x4"	
	length and width combination with a 1" minimum.	BRICKS		DIAMONDS		
			1"x2" 1"x3" 1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"		2"	
FIELD S	FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"	
Diamond	4"			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<sup>5</sup> / <sub>8</sub> "x4"	
		OCTAGONS		HEXAGONS		
Hexagon	6"			,,,,,,,,		
Chevron	2"x12" 6"x24"		2" w/ 0.6" Squares		1 <sup>1</sup> / <sub>8</sub> " 2"	
TRAPEZOID W/ DOT		SQUARES		RECTANGLES		
	4"x2 <sup>1</sup> / <sub>2</sub> " w/ <sup>5</sup> / <sub>8</sub> " Dot		1"x1" 2"x2" 1 <sup>3</sup> / <sub>8</sub> "x1 <sup>3</sup> / <sub>8</sub> " 3"x3"		1"x2" 1"x4"	

<sup>\*</sup>Other sizes available upon request



# **SPIRIT**Color Body Porcelain Tile

Features	Test Method		Value		
reatures	Test Method	Soft	Matte	Structured	
Size	ISO 10545-2		Conforms		
Water Absorption	ISO 10545-3		≤ 0.1%		
Bending Strength		Conforms		N/A	
Breaking Strength	ISO 10545-4		7.5 mm 300 N	> 10,000 N	
Deep Scratch Resistance	ISO 10545-6		Conforms		
Thermal Linear Expansion Coefficient	ISO 10545-8	~ 7 (10 <sup>-6</sup> °C <sup>-1</sup> )		-1)	
Thermal Shock Resistance	ISO 10545-9	Resistant			
Expansion in Humidity	ISO 10545-10		≤ 0.1 (mm/m)		
Frost Resistance	ISO 10545-12		Resistant		
Resistance to Chemical Attack	ISO 10545-13	Resistant		Cleanable	
Resistance to Stains	ISO 10545-14		Cleanable		
Static Load	EN 12825	- KI		KN > 7.0 KN > 5.0 KN > 8.0	
Breaking Load Class	EN 1339		- U'		
Slip Resistance	DIN 51130 - DIN 51097	R9 Matte 48" x 110"	R10 B Matte - Soft	R11 C	
	DCOF	0.	0.43 0.74		
Recycled Content	-	Exclude	20% Excludes Candle, Glare and Decos		
Sustainability / Conformance	This product will contribute to USGBC registered LEED projects. It also conforms with ANSI approved NAHB Green Building Standard ICC 700. Low Emissions Material - Zero VOC				

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Wall Deco Installation Instructions: When laying the material it is recommended not to use mechanical leveling systems, which could cause damage to the surface when removed. Before grouting wall decos, it is advised to protect the surface in the parts near the edge with masking tape. Cement-based, not epoxy-based, grouts must be used. Immediately after grouting, remove any residues with water and a soft cloth, without using abrasive sponges.

Cleaning and Maintenance Wall Decos: For ordinary cleaning, avoid abrasive products that could damage the surface. Cleaning with a soft cloth and neutral PH products is recommended to avoid dulling or scratching.

**Disclaimer:** DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

#### Product Info:

- Color Body Porcelain Tile
- Rectified Edge
- Matte | Soft | Structured Finishes V2 Slight Shading Variation
- 6mm | 9mm | 20mm Thicknesses Frost Resistance = Yes









\_\_\_\_\_



www.genrose.com