





48"x48" Field Tile in Ink 48"x110" Dusk Wall Deco in Spice

24"x24" Field Tile in Levity 48"x110" Wall Deco in Ink





4"x24" Wall Tile in Levity 24"x24" Field Tile in Chimney 48"x110" Hoop Wall Deco in (A+B)

AVAILABLE IN:

9mm Field T	iles			
SIZE	FI	NISH	COLORS	
2"x8"	!	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney	
4"x24"	:	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney	
4"x24"	N	latte	Candle Glare Levity Wing Manor Plume Chimney	
12"x24"	!	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney	
12"×24"	N	latte	Candle Glare Levity Wing Manor Plume Chimney	
24"×24"	:	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney	
24"x24"	N	latte	Candle Glare Levity Wing Manor Plume Chimney	
24"x48"	:	Soft	Candle Glare Levity Wing Manor Spice Verve Ink	
24"x48"	N	latte	Candle Glare Levity Wing Manor	
32"x32"	Soft	Matte	Candle Glare Levity Wing Manor	
48"x48"	Soft	Matte	Candle Glare Levity Wing Manor	
20mm Paver				
SIZE	FI	NISH	COLORS	
24"×24"	Stru	ıctured	Levity Wing Plume	
6mm Slab				
SIZE	FI	NISH	COLORS	
48"×110"	N	latte	Glare Levity Wing	
6mm Wall D	ecos			
SIZE	SLAB TYPE	FINISH	COLORS	
48"x110"	Dusk Deco	Matte	Spice Verve	
48"×110"	Hoop Deco (A+B)	Matte	Mixed	
48"x110"	Reed Deco	Matte	Mixed	
48"x110"	Coordinating Solids For Decos	Matte	Spice Verve Ink	
9mm Mosai	cs			
SHEET SIZE	TYPE	FINISH	COLORS	
12"x12"	2"x2" Mosaic	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney	
12"X12"	Basketweave Mosaic	Soft	Candle w/ Spice Dot Candle w/ Wing Dot Candle w/ Verve Dot Glare w/ Ink Dot Levity w/ Chimney Dot	
9mm Trim Pi	ieces			
SHEET SIZE	TYPE	FINISH	COLORS	
3"x24"	Bullnose	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney	
13"x48"	Step Tread	Soft	Candle Glare Levity Wing Manor Spice Verve Ink	
13"x48"	Step Tread	Matte	Candle Glare Levity Wing Manor	
13"x24"	Step Tread	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney	
13"x24"	Step Tread	Matte	Candle Glare Levity Wing Manor Plume Chimney	
13"x13"	Step Tread Corner	Soft	Candle Glare Levity Wing Manor Plume Spice Verve Ink Chimney	




Chimney

2"X2" MOSAIC






Glare



Levity







Ink

BASKETWEAVE MOSAIC



Plume

Candle | Wing



Spice

Candle | Spice



Verve


Candle | Verve



Glare I Ink



Levity I Chimney





Verve

DUSK DECOS



Spice

Spice



Verve




Ink

Deco A

Deco B

HOOP DECO

REED DECO



24"x48" Field Tile in Levity | Ink 48"x48" Field Tile in Levity



48"x110" Reed Wall Deco

MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any		2" 4"		1 ³ / ₈ "x3" 2"x4"
	length and width combination with a 1" minimum.	BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"
○ Diamond	4"			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	⁵ / ₈ "x4"
		OCTAGONS		HEXAGONS	
Hexagon	6"				
Chevron	2"x12" 6"x24"		2" w/ 0.6" Squares		1 ¹ / ₈ " 2"
TRAPEZO	ID W/ DOT	SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ ⁵ / ₈ " Dot		1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3"		1"x2" 1"x4"

^{*}Other sizes available upon request



SPIRITColor Body Porcelain Tile

Features	Test Method	Valu	Value	
reatures	rest method	Soft Matte	Structured	
Size	ISO 10545-2	Conforms		
Water Absorption	ISO 10545-3	≤ 0.1%		
Bending Strength	100 10545 4	Conforms	N/A	
Breaking Strength	- ISO 10545-4	Sps ≥ 7.5 mm S ≥ 1300 N	> 10,000 N	
Deep Scratch Resistance	ISO 10545-6	≤ 145 r	mm³	
Thermal Linear Expansion Coefficient	ISO 10545-8	~ 7 (10-6	o °C-1)	
Thermal Shock Resistance	ISO 10545-9	Resist	ant	
Expansion in Humidity	ISO 10545-10	≤ 0.1 (m	m/m)	
Frost Resistance	ISO 10545-12	Resist	ant	
Resistance to Chemical Attack	ISO 10545-13	Resistant	Cleanable	
Resistance to Stains	ISO 10545-14	Cleanable		
Static Load	EN 12825	-	KN > 7.0 KN > 5.0 KN > 8.0	
Breaking Load Class	EN 1339	-	U11 T11	
Slip Resistance	DIN 51130 - DIN 51097	Matte R10 A+B (Not including 48"x110")	R11 A+B+C	
	DCOF	Confo	rms	
Recycled Content	20% Excludes Candle, Glare and		•	
Sustainability / Conformance	This product will contribute to USGBC registered LEED projects. It also conforms with ANSI approved NAHB Green Building Standard ICC 700. Low Emissions Material - Zero VOC			

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Wall Deco Installation Instructions: When laying the material it is recommended not to use mechanical leveling systems, which could cause damage to the surface when removed. Before grouting wall decos, it is advised to protect the surface in the parts near the edge with masking tape. Cement-based, not epoxy-based, grouts must be used. Immediately after grouting, remove any residues with water and a soft cloth, without using abrasive sponges.

Cleaning and Maintenance Wall Decos: For ordinary cleaning, avoid abrasive products that could damage the surface. Cleaning with a soft cloth and neutral PH products is recommended to avoid dulling or scratching.

Product Info:

- Color Body Porcelain Tile
- Matte | Soft | Structured Finish
- 6mm | 9mm | 20mm Thickness
- Rectified Edge
- V2 Slight Shading Variation
- Frost Resistance = Yes







www.genrose.com



www.genrose.com