

# STACCATO

 GENROSE

For the most up-to-date product information, scan the QR code.





19.625" x 47.25" Barcode Deco in White



19.625" x 47.25" Wall Tile in White



19.625" x 47.25" Bloom Deco in White



19.625" x 47.25" Barcode Deco in White



19.625" x 47.25" Barcode Deco in White



19.625" x 47.25" Barcode Deco in White



19.625" x 47.25" Bloom Deco in White

# AVAILABLE STOCKED ITEMS:

8.5mm Wall Tile - Rectified Edge			
SIZE	FINISH	COLORS	
19.625" x 47.25"	Matte	White	
8.5mm Wall Deco - Rectified Edge			
SIZE	TYPE	FINISH	COLORS
19.625" x 47.25"	Bloom Deco	Matte	White
19.625" x 47.25"	Barcode Deco		

All Sizes are Nominal.

## 19.625" x 47.25" WALL TILE




White

## 19.625" x 47.25" WALL DECO



Bloom



Barcode

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

V1 



**STACCATO**  
Ceramic Tile

Features	Test Method	Value	
Length and Width	ISO 10545 - 2	± 0.4	
Thickness		± 0.5	
Straightness of Sides		± 0.4	
Rectangularity		± 0.4	
Surface Flatness		Wall Tile ± 0.6	Wall Deco N/A
Water Absorption	ISO 10545 - 3	10% < EV ≤ 20%	
Breaking Strength	ISO 10545 - 4	S ≥ 600 N	
Modulus of Rupture/Bending Strength		R ≥ 15 N/mm <sup>2</sup>	
Coefficient of Thermal Linear Expansion	ISO 10545 - 8	≤ 7MK <sup>-1</sup>	
Thermal Shock Resistance	ISO 10545 - 9	Resistant	
Moisture Expansion	ISO 10545 - 10	≤ 0.06% (0.6mm/m)	
Crazing Resistance	ISO 10545 - 11	Resistant	
Reaction to Fire	-	A1	
Chemical Resistance (Domestic)	ISO 10545 - 13	A	
Chemical Resistance (Low Concentration)		LA	
Chemical Resistance (High Concentration)		HA	
Stain Resistance	ISO 10545 - 14	Class 5	
Recycled Content	-	10%	





This product will contribute to USGBC registered LEED projects.  
It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.  
Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

### Product Info:

- Ceramic Tile
- Matte Finish
- 8.5mm Thickness
- Rectified Edge
- V1 - Uniform Appearance
- Frost Resistance = No



[www.genrose.com](http://www.genrose.com)

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



[www.genrose.com](http://www.genrose.com)