

# TEXTURA

 GENROSE

For more product information, scan the QR code.





6.5" x 21" Duero Wall Deco | 6.5" x 21" Field Tile in White



6.5" x 21" Duero Wall Deco | 6.5" x 21" Field Tile in Silver



6.5" x 21" Ordesa Wall Deco | 6.5" x 21" Gredos Wall Deco in Silver



6.5" x 21" Ordesa Wall Deco | 6.5" x 21" Gredos Wall Deco  
6.5" x 21" Field Tile in Graphite


## AVAILABLE STOCKED ITEMS:

11mm Field Tiles			
SIZE	FINISH		COLORS
6.5" x 21"	Matte		White   Silver   Graphite
12mm Wall Decos			
SIZE	TILE TYPE	FINISH	COLORS
6.5" x 21"	Duero	Matte	White   Silver   Graphite
6.5" x 21"	Gredos	Matte	White   Silver   Graphite
6.5" x 21"	Ordesa	Matte	White   Silver   Graphite

All Sizes are Nominal.



6.5" x 21" Field Tile in Graphite



White



Silver



Graphite

Colors shown may vary from actual product. Final selection should be made from actual product samples. Products and availability are subject to change, please refer to our website for the most up to date selection.

## 6.5" x 21" FIELD TILE

Can be combined with Duero, Gredos, and Ordesa Wall Decos



White



Silver



Graphite

## 6.5" x 21" DUERO WALL DECO

Can be combined with Field Tiles



White



Silver



Graphite

## 6.5" x 21" GREDOS WALL DECO


Can be combined with Ordesa Wall Decos and Field Tiles



White



Silver



Graphite

## 6.5" x 21" ORDESA WALL DECO

Can be combined with Gredos Wall Decos and Field Tiles



White






Silver



Graphite

**Note:** Product is subject to natural shade variation when mixing textures and sizes.

Features	Test Method	Value
Water Absorption	ISO 10545-3	≤ 0.5%
Breaking Strength	ISO 10545-4	1600-2400 N
Modulus of Rupture	ISO 10545-4	35-45 N/mm <sup>2</sup>
Thermal Resistance	ISO 10545-9	Resistant
Crazing Resistance	ISO 10545-11	Resistant
Frost Resistance	ISO 10545-12	Resistant
Chemical Resistance	ISO 10545-13	Household Chemical
		A
Stain Resistance	ISO 10545-14	5
DCOF	ANSI A326.3	0.76
Recycled Material	-	31%

This product will contribute to USGBC registered LEED projects.  
It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.  
Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Disclaimer:** DCOF wet and dry is different on every production lot and can vary. This number represents the average DCOF of the tested production lots. If the spec listed is over the minimum standard, it will meet the requirement.

**Product Info:**

- Color Body Porcelain Tile
- Matte Finish
- 11mm | 12mm Thicknesses
- Rectified Edge
- V1 - Uniform Appearance
- Frost Resistance = Yes

**Note:** Product is subject to natural shade variation when mixing textures and sizes.





[www.genrose.com](http://www.genrose.com)