

Features	Test Method	Value
Length And Width	ISO 10545-2	±0.2%
Thickness	ISO 10545-2	±5%
Warpage of Edges	ISO 10545-2	±0.2%
Wedging	ISO 10545-2	±0.2 %
Warpage	ISO 10545-2	±0.2%
Water Absorption	ISO 10545-3	≤ 0.1%
Modulus of Rupture	ISO 10545-4	50 N/MM <sup>2</sup>
Breaking Strength	ISO 10545-4	≥ 1700 N
Coefficient of Linear Thermal Expansion	ISO 10545-8	6.5 ×10 <sup>-6</sup> °C <sup>-1</sup>
Thermal Shock Resistance	ISO 10545-9	Resistant
Frost Resistance	ISO 10545-12	Resistant
Chemical Resistance	ISO 10545-13	Min. GB
Stain Resistance	ISO 10545-14	Min. Class 3

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Product Info:**

- Color Body Porcelain Tile
- Matte | Lappato | Lucidato Finishes
- 9mm Thickness
- Rectified Edge
- PEI Rating = 4
- V3 - Moderate Shading Variation
- Frost Resistance = Yes

Features	Test Method	Value
Length And Width	ISO 10545-2	±0.5%
Thickness	ISO 10545-2	±5%
Warpage of Edges	ISO 10545-2	±0.3%
Wedging	ISO 10545-2	±0.4 %
Warpage	ISO 10545-2	±0.3%
Water Absorption	ISO 10545-3	~16%
Coefficient of Linear Thermal Expansion	ISO 10545-8	$8 \times 10^{-6} \text{ } ^\circ\text{C}^{-1}$
Thermal Shock Resistance	ISO 10545-9	Resistant
Crazing Resistance	ISO 10545-12	Resistant
Chemical Resistance	ISO 10545-13	Min. GB
Stain Resistance	ISO 10545-14	Min. Class 3

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Product Info:**

- Glazed Ceramic Tile
- Matte Finish
- 8.5mm Thickness
- Rectified Edge
- V2 - Slight Shading Variation
- Frost Resistance = No


[www.genrose.com](http://www.genrose.com)